

GENERAL MACHINE ENVIRONMENT

L	I he installation area is clean and clear of dust and tools. It is not located in an active construction zone.
	The counter accommodates the machine size and weight:
	• Dimensions: 14.5" (W) x 31" (H) x 23.1" (D)
	• Dimensions with NSF/ANSI 4 legs: 14.5 (W) x 33.6 (H) x 23.1 in (D)
	• Weight: 97 lb
	An access hole has been pre-drilled in the counter for drainage and power in accordance with model installation template
	Hole in counter is fitted with a collar to protect electrical cord, water line & drain tube.
	Machine can safely be installed with a minimum clearance of 1 5/8 inch from the back wall.

ELECTRICAL REQUIREMENTS

The electrical configuration must match La Radiosa Site Preparation Checklist's electrical requirements, prior to request the installation of the coffee machine. To do so, we recommend that you consult a qualified professional electrician.

	La Radiosa Specifications	208-240 V / 60 HZ, 5800 W NEMA L6-30P				
	Power outlet receptacle is NEMA L6-30P.					
☐ Dedicated electrical circuit meets the La Radiosa power requirements.						
	No extension cord or power					

WATER SPECIFICATIONS

The water configuration must match La Radiosa Site Preparation Checklist's water specifications, prior to request the installation of the coffee machine. To do so, **we recommend that you consult a water filtration system specialist.**

ressure & Hardness] Pressure is between 21.7 PSI and 123.28 PSI.] pH range is between 6.5 and 7.5.] Hardness (TDS) is between 89 PPM and 142 PPM.	
Machine water line is equipped with softness/filtration system and descaling device	2
/ater Network	
The water network provides cold, drinkable tap water.	
Dedicated 3/8" diameter water line.	
Shutoff valve with a 3/8" compression fitting on machine's end.	

HIGHLY RECOMMENDED: Connection to a floor drain in accordance with local health code.

www.evocagroupna.com



